



WILLOUGHBY

COUNT ON US.



HEALTHCARE PRODUCT GUIDE

PLUMBING FIXTURES & ACCESSORIES





TABLE OF CONTENTS


Healthcare Product Guide: Plumbing Fixtures & Accessories

7



INFECTION
CONTROL SINK

8



ADA
SHOWER PANS

SECTIONS

BARIATRIC SINKS & TOILETS

Specially engineered fixtures designed to withstand loads typical in bariatric care environments.

PAGE 3 ↗

BEHAVIORAL HEALTHCARE

Vandal-resistant fixtures with anti-suicide features, designed to meet the needs of behavioral health facilities. PAGES 4–5 ↗

SCRUB SINKS

Stainless steel surgical scrub sinks.

PAGE 6 ↗

INFECTION CONTROL SINK

Heavy duty fixtures designed specifically to minimize splashing and reduce the spread of infectious disease.

PAGE 7 ↗

SHOWER PANS & WALL SECTIONS

Willoughby solid surface shower pans wall sections are durable and easy to keep clean. PAGES 8–9 ↗

AQUASURF® COLORS

Solid surface stain, impact, and burn resistant material in nine colors. PAGE 9 ↗

PATIENT CARE UNITS

The “free standing restroom.” Patient care units enable efficient use of space with durable, sanitary construction. PAGES 10–13 ↗

ACCESSORIES & HOSE & SUPPLY BOXES

Stainless steel supply boxes and other accessories designed for healthcare settings. PAGES 14–15 ↗

CERTIFICATIONS



Finally, an aesthetically pleasing lavatory that is consistent with FGI's *Guidelines for Design of Construction of Health Care Facilities* and provides a 1,000 lb. weight rating to properly serve bariatric patients. Willoughby bariatric toilets are fabricated from heavy gauge, type 304 stainless steel with all-welded construction. This fixture's exterior has a gloss white powder coat enamel finish. The toilet bowl interior has a sanitary bead blast stainless steel finish. The fixtures are rated for up to 2,000 lbs., and the oversized bariatric seat is rated for up to 1,200 lbs.

BHS-3123 SERIES BARIATRIC LAVATORIES

- 31" wide bariatric lavatory with 1,000 lb. weight rating
- Floor mounted, welded, type 304 stainless steel pedestal framework
- Pedestal covered with solid marine-grade high-density polyethylene, not laminate
- Optional moisture-resistant thermal foil laminated panel shown at right (eight decorative choices available)
- Aquasurf® solid surface integral D-shaped lavatory bowl and countertop
- Wristblade handle, 10" gooseneck, deck mounted faucet
- ADA accessible

OPTIONS: No-touch sensor faucet, lavatory deck available in nine colors, side panel available in eight finishes.



1490 SERIES BARIATRIC TOILETS



BETW-1490-FM-FA

- Floor mount
- Wall outlet
- Blowout flush
- Front access

BETWS-1490-FM-FA

- Floor mount
- Wall outlet
- Siphon jet flush
- Front access



BETF-1490-FM-FA

- Floor mount
- Floor outlet
- Siphon jet flush
- Front access

BETF-1490-FM-10/12-FA

- Floor mount
- 10" or 12" floor outlet
- Siphon jet flush
- Front access

Willoughby behavioral healthcare fixtures are fabricated from heavy gauge, type 304 stainless steel with all-welded construction and exposed stainless surfaces polished to a satin finish. These vandal-resistant fixtures with anti-suicide features are designed to meet the needs of behavioral health facilities.



AS WRS-FA-CSH SHOWER PANEL

- Recessed shower panel
- Anti-ligature all stainless steel shower head and push button
- Front mounted



AS WRS-BF-FA-2HD-CSH SHOWER PANEL

- Recessed shower panel
- Two fixed shower heads
- Anti-ligature all stainless steel shower head and push button
- Front mounted
- ADA compliant



WBL-2320 BEHAVIORAL HEALTHCARE LAVATORY

- Ligature-resistant design
- Aquasurf® solid surface components
- Welded stainless steel trap enclosure
- Anti-ligature drain
- Dual temperature push button or single temperature infrared controls available



WAW-2311 LAVATORY

- Single station lavatory
- Aquasurf® solid surface components
- Vandal resistant, non-removable trim
- Available with pushbutton or infrared actuation
- Welded stainless steel trap enclosure



ECW-1806 SERIES COMBINATION UNIT

- Combination lavatory and toilet
- 18" wide
- Rear mounted
- Anti-suicide



ASHS-1013-06-FA ANTI-SUICIDE LAVATORY

- Lavatory
- 18" wide
- Front mounted



RS-1 SERIES SHELF

- Recessed shelf
- Rear mounted



TH-3 SERIES SINGLE TOWEL HOOK

- One hook
- Front mounted
- Pressure-release towel hooks

TH-4 SERIES TOWEL HOOKS

- Four hooks
- Front mounted
- Pressure-release towel hooks

Willoughby Surgical Scrub Sinks are fabricated from all-welded 14 gauge type 304 stainless steel polished to a #4 satin finish with a bead-blast finish inside the bowl(s). These sinks come in a variety of configurations with 1–3 stations available.



CWSSS SURGICAL SCRUB SINK

- Knee activated or infrared faucet
- Optional knee activated liquid soap
- Available in 1, 2, and 3 station configurations



EWSSS ECONOMY SURGICAL SCRUB SINK

- Knee activated or infrared faucet
- Available in 1, 2, and 3 station configurations



CWSSS SURGICAL SCRUB SINK

- Surgical scrub sink
- Knee activated or infrared faucet
- Optional knee activated liquid soap
- Available in 1, 2, and 3 station configurations



EWSSS ECONOMY SURGICAL SCRUB SINK

- Knee activated or infrared faucet
- Available in 1, 2, and 3 station configurations

After careful research with healthcare professionals, Willoughby has engineered an all-new, aesthetically pleasing sink with features especially designed to help minimize the spread of disease. Infection control sinks are heavy duty fixtures designed specifically to minimize splashing and reduce the spread of infectious disease.




WICS-2222 INFECTION CONTROL SINK

- Offset drain position keeps water from splashing directly into drain and aerosolizing contents in trap
- Aesthetically pleasing sanitary Aquasurf® solid surface bowl is cast as one-piece that's easily cleaned and maintained
- Oversized backsplash helps keep water contained and flowing toward drain

- Wrist blade or infrared operation
- Open bottom drain shroud is constructed of polished Type 304 stainless steel

OPTIONS: No-touch infrared sensor faucet and choice of nine Aquasurf® colors/finishes

Willoughby shower pans are fabricated from Aquasurf®, a molded cast polymer, densified, solid surface material composed of polyester/acrylic resin with UV stabilizer, aluminum trihydrate, and mineral fillers. The material is resistant to stains, impact, and burns. Scratches to the surface of this product are rare and can be easily repaired with a mild abrasive cleanser.



AS-S3840FA SHOWER PAN

- Transfer shower receptor with integral trench
- ADA compliant
- Stainless steel trench cover
- Anti-slip surface



AS-S3462FA SHOWER PAN

- Roll-in shower receptor with integral trench
- ADA compliant
- Stainless steel trench cover
- Anti-slip surface




AS-S36NEO SHOWER PAN

- Shower receptor
- Neo-angle
- Anti-slip surface
- Available in 36" or 42" models




AS-S36RND SHOWER PAN

- Shower receptor
- Round front
- Anti-slip surface



SQUARE & RECTANGLE SHOWER PANS

- Shower receptor
- Available in 36" x 36"
- 36" x 48", or 36" x 60"
- Anti-slip surface



WALL KITS

- Solid surface material
- 1/4" or 3/8" thick
- Sized to fit any shower pan

AQUASURF®

SOLID SURFACE SHOWER SYSTEMS

- Stain, impact, and burn resistant
- Greater durability and less maintenance than tile
- Non-porous material
- Available in solid or granite colors

COLOR SELECTION CHART

— STANDARD —



White Granite WG1



Sandstone SS1



Grey Granite GG1



Bone B1



Glacier White GW1

— OPTIONAL —



Red Coral RC1



Nocturnal Blue NB1



Black Granite BG1



Sea Green SG1

Willoughby patient care unit cabinet frames are fabricated from type 304 stainless steel. The cabinet's exterior is overlaid in solid polymer with rounded edges and equipped with an Aquasurf® Solid Surface integral lavatory bowl and countertop. Each unit features a low flow, siphon jet, stainless steel toilet with an elongated bowl, integral flushing rim, and white hinged seat.



WH-1700 PATIENT CARE UNIT

- 47" wide
- Siphon jet, low flow, 14 gauge, stainless steel swivel toilet
- Welded, type 304 stainless steel cabinet
- Cabinet exterior overlay doors and panels, rounded edge, solid polymer
- Toilet tissue holder mounted inside cabinet door
- Aquasurf® solid surface integral lavatory bowl and countertop with raised edge
- Wristblade handle, 10" gooseneck, deck mounted faucet
- Bedpan washer with flexible hose, concealed within separate cabinet

OPTIONS: Contrasting bowl upgrade, white finished toilet, foot pedal controls, no-touch sensor faucet, stainless steel countertop with bowl, bedpan washer volume control, bed pan lugs, single or dual valve dialysis box.



WH-1750 PATIENT CARE UNIT

- 41" wide
- Siphon jet, low flow, 14 gauge, stainless steel swivel toilet
- Welded, type 304 stainless steel cabinet
- Cabinet exterior overlay doors and panels, rounded edge, solid polymer
- Toilet tissue holder mounted inside cabinet door
- Aquasurf® solid surface integral lavatory bowl and countertop with raised edge
- Wristblade handle, 10" gooseneck, deck mounted faucet

OPTIONS: Bedpan washer in storage cabinet, contrasting bowl upgrade, white finished toilet, foot pedal controls, no-touch sensor faucet, stainless steel countertop with bowl, bedpan washer volume control, bed pan lugs, single or dual valve dialysis box.

**WH-1900 PATIENT CARE UNIT**

- 47" wide
- Freestanding, welded, type 304 stainless steel cabinet
- Cabinet exterior overlay doors and panels, rounded edge, solid polymer
- Recessed toilet tissue holder mounted within cabinet door front
- Aquasurf® solid surface integral lavatory bowl and countertop with raised edge
- Siphon jet, low flow, 14 gauge stainless steel toilet with white finish
- Wristblade handle, 10" gooseneck, deck mounted faucet
- Bedpan washer with flexible hose, concealed within separate cabinet

OPTIONS: Foot pedal controls, no-touch sensor faucet, stainless steel countertop with bowl, bedpan washer volume control, bed pan lugs, single or dual valve dialysis box, roll away toilet cover.

**WH-1950 PATIENT CARE UNIT**

- 41" wide
- Freestanding, welded, type 304 stainless steel cabinet
- Cabinet exterior overlay doors and panels, rounded edge, solid polymer
- Recessed toilet tissue holder mounted within cabinet door front
- Aquasurf® solid surface integral lavatory bowl and countertop with raised edge
- Siphon jet, low flow, 14 gauge stainless steel toilet with white finish
- Wristblade handle, 10" gooseneck, deck mounted faucet

OPTIONS: No-touch sensor faucet, bedpan washer volume control, bed pan lugs, single or dual valve dialysis box, swing down grab bar.

**WH-2100 PATIENT CARE UNIT**

- 61" wide
- Wall hung, welded, type 304 stainless steel cabinet
- Cabinet exterior overlay doors and panels, rounded edge, solid polymer
- Toilet tissue holder mounted inside cabinet door
- Aquasurf® solid surface integral oval lavatory bowl and countertop
- Siphon jet, low flow, 14 gauge stainless steel toilet with white finish
- Wristblade handle, 10" gooseneck, deck mounted faucet
- Bedpan washer with flexible hose, concealed within separate cabinet
- ADA accessible

OPTIONS: No-touch sensor faucet, bedpan washer volume control, bed pan lugs, single or dual valve dialysis box, swing down grab bar. Available in modified widths of 37", 41", 47", and 54".

**WH-2400 PATIENT CARE UNIT**

- 61" wide
- Wall hung, welded, type 304 stainless steel cabinet
- Cabinet exterior overlay doors and panels, rounded edge, solid polymer
- Toilet tissue holder mounted inside cabinet door
- Aquasurf® solid surface integral oval lavatory bowl and countertop
- Siphon jet, low flow, 14 gauge stainless steel toilet with white finish
- Wristblade handle, 10" gooseneck, deck mounted faucet
- Bedpan washer with flexible hose, concealed within separate cabinet
- ADA/TAS compliant

OPTIONS: No-touch sensor faucet, bedpan washer volume control, bed pan lugs, single or dual valve dialysis box, swing down grab bar.

**WH-2600 PATIENT CARE UNIT**

- 29.625" wide closed, 54.375" wide open
- Swing-away cabinet patient care unit
- Freestanding, welded, type 304 stainless steel cabinet and frame
- Cabinet exterior overlay doors and panels, rounded edge, solid polymer
- Toilet tissue holder mounted inside cabinet
- Aquasurf® solid surface integral oval lavatory bowl and countertop
- Siphon jet, low flow, 14 gauge stainless steel toilet with white finish
- Wristblade handle, 10" gooseneck, deck mounted faucet

OPTIONS: Bedpan washer in side cabinet door, foot pedal controls, no-touch sensor faucet, bedpan washer volume control, bed pan lugs.

**WH-2800 PATIENT CARE UNIT**

- 28" wide
- Freestanding, welded, type 304 stainless steel cabinet
- Cabinet exterior overlay doors and panels, rounded edge, solid polymer
- Hooded toilet tissue holder recess mounted within cabinet front
- Aquasurf® solid surface integral lavatory bowl and countertop
- Siphon jet, low flow, 14 gauge stainless steel toilet with white finish
- Wristblade handle, 10" gooseneck, deck mounted faucet

OPTIONS: Bedpan washer in side cabinet door, contrasting bowl upgrade, foot pedal controls, no-touch sensor faucet, stainless steel countertop with bowl, bedpan washer volume control, bed pan lugs, single or dual valve dialysis box, roll away toilet cover.

| ACCESSORIES, HOSE & SUPPLY BOXES

In-wall and surface-mount accessories that provide safe and secure storage of personal grooming items. Accessories are designed with ligature-resistant features.



RTH-2 RECESSED TISSUE HOLDER

- Front mounted



RSD-2 SERIES RECESSED SOAP DISH

- Front mounted



ASGB SERIES GRAB BAR

- Lengths of 24", 36", 42", and 48"
- Includes anti-suicide plate



ASGB SERIES GRAB BAR

- L-shaped 33" x 18"
- Includes anti-suicide plate




MR-1 SERIES MIRROR

- 12" x 10.5"
- One-piece security mirror
- Front Mounted


MR-2 SERIES MIRROR

- 16.5" x 12.5"
- One-piece security mirror
- Front mounted



ANTI-LIGATURE COMPONENTS

- | | |
|--|--------------------------------|
| 1. WBL lavatory filler sprayhead | 3. CSH shower head |
| 2. PBH lavatory/shower pushbutton | 4. BPH lavatory bubbler |



HB SERIES RECESSED HOSE BOX

- Available with or without stainless steel door
- Single- or dual-temperature valves



HB SERIES RECESSED DIALYSIS BOX

- Available with or without stainless steel door
- Single- or dual-temperature valves
- Available in PVC, brass, or stainless steel
- Custom sizes and configurations available



WILLOUGHBY

COUNT ON US.

Thank you for considering Willoughby products. With over sixty years in business, our focus rests solely on providing the finest commercial plumbing products and service available in the industry. We are proud that our products are manufactured in the U.S.A. and sold worldwide.

Our Indianapolis manufacturing facility employs crafts people who are committed to the research, design, and fabrication of stainless steel and solid surface plumbing fixtures and accessories of the highest quality.

As you consider the selection and use of fixtures and/or accessories for your next project, we respectfully ask for your business. You can COUNT ON US to exceed your expectations.

